
# GAR BRO

GARBRO.com





GARBROco@GARBRO.com

# ROUND BUCKETS

## "R" Series Lightweight Round Gate Bucket

Lightweight, yet robust build, this bucket is ideal for general contractors.

#### **Features**

- "Venturi" gate throat for rapid discharge and thorough cleanout
- Non-jamming, grout-tight, self-closing 16" diameter double clamshell gate
- Exclusive one-piece lifting bail design reduces obstructions in bucket top opening area, making charging operation faster and easier
- Easily controlled by fast-acting bail-type handle



Item No.	Rated Capacity Cubic Yards	Level Capacity Cubic Feet	Loading Height Inches	Gate Diameter Inches	Inside Diameter Inches	<b>Weight</b> <i>Pounds</i>	LTL Freight Class
410-R	1/3	10	34	16	36	237	125
413-R	1/2	13.5	41	16	36	257	125
420-R	3/4	20.3	45	16	45	330	125
427-R	1	27.5	46	16	54	400	125
440-R	1 1/2	40.5	53	16	60	500	125
454-R	2	55	59	16	66	675	125
483-R	3	83	72	16	66	760	125

Bucket frame designed to accommodate optional side discharge chute without removal when resting on the ground. Side chute installation is extremely fast; simply remove the pin and chain from the bucket.

A variety of other attachments are available for all "R" Series buckets including: rubber accordion hoppers, side chutes, air operated gate systems, and extension collars. Additional details and parts information available at: **GARBRO.com** 

Gar-Bro claims the unique overall "look and feel" of its R-Series and LP-Series concrete buckets as its proprietary trade dress. The trade dress comprises Gar-Bro's proprietary configuration, features, and placement of the (1) lifting bail, (2) gate, (3) hooped-type wrap around gate lever, and (4) gate springs. Unauthorized copying strictly prohibited.

Forklift pockets are available for all buckets listed above. All "R" Series Buckets listed above use Item 409 Accordion Hopper. 1/4 and 1/2 CY Extension Collars are available. Alternate handle location option available - call factory for details.



## "LP" Series Lightweight Low-Profile Buckets

Ideal for general contractors, the "LP" Series features a large volume, low profile and lightweight design while maintaining a properly sized gate opening for optimal control during discharge.

#### **Features**

- · Low profile design for maximum volume
- Non-jamming, grout-tight, self-closing 15" x 22" double clamshell gates
- Exclusive one-piece lifting bail design reduces obstructions in bucket top opening area, making charging operation faster and easier
- Easily controlled by fast-acting bail-type handle



Item No.	Rated Capacity Cubic Yards	Level Capacity Cubic Feet	Loading Height Inches	Gate Size Inches	Inside Diameter Inches	<b>Weight</b> <i>Pounds</i>	LTL Freight Class
441-LP	1 1/2	41	43	15x22	72	645	125
457-LP	2	57	51	15x22	72	740	125
469-LP	2 1/2	69	56	15x22	72	780	125
482-LP	3	82	61	15x22	72	825	125
4110-LP	4	110	72.5	15x22	72	1,320	125
4136-LP	5	136	88	15x22	72	1,830	125
482-LPSC SIDE CHUTE TO FIT ALL BUCKETS ABOVE					100	100	

Bucket frame designed to accommodate optional side discharge chute without removal when resting on the ground. Side chute installation is extremely fast; simply remove the pin and chain from the bucket.

A variety of other attachments are available for all "LP" Series buckets including: rubber accordion hoppers, side chutes, air operated gate systems, and extension collars. Additional details and parts information available at: GARBRO.com

Gar-Bro claims the unique overall "look and feel" of its R-Series and LP-Series concrete buckets as its proprietary trade dress. The trade dress comprises Gar-Bro's proprietary configuration, features, and placement of the (1) lifting bail, (2) gate, (3) hooped-type wrap around gate lever, and (4) gate springs. Unauthorized copying strictly prohibited.

Forklift pockets are available for all buckets listed above. All "LP" Series Buckets listed above use optional item 409 Accordion Hopper.

1/4 and 1/2 CY Extension Collars are available.



# **ROUND BUCKETS**

## "G" Series General Purpose Concrete Bucket

The legacy bucket for placing a wide range of concrete by general contractors.

#### **Features**

- · Bar-type lifting bail for 411-G to 413-G
- · Plate-type lifting bail (pictured) for 423-G to 4123-G
- · Steep cone side slopes for efficient cleanout
- Robust skirt panel support frame for increased life expectancy
- · Bail-type operating handle (rope-pull control possible)
- Non-jamming, grout-tight, self-closing, double clamshell gate



Item No.	Rated Capacity Cubic Yards	Level Capacity Cubic Feet	Loading Height Inches	Gate Size Inches	Inside Diameter Inches	<b>Weight</b> Pounds	LTL Freight Class
411-G	1/3	10	35	15x18	36	355	125
413-G	1/2	15	38	15x22	42	420	125
423-G	3/4	24	46	15x22	48	565	125
433-G	1	30	51	15x22	54	615	125
442-G	1 1/2	42	55	15x22*	60	795	125
462-G	2	58	58	15x22*	68	1,045	125
493-G	3	87	72	15x22*	68	1,445	125
4123-G	4	112	85	15x22*	68	1,825	125

<sup>\*15&</sup>quot;x22" gate standard on 413-G and larger. Optional 22"x32" gate available on 442-G, 462-G, 493-G and 4123-G.

A variety of attachments are available, including: rubber accordion hoppers, steel sub-hoppers, air or hydraulic gate operation side chutes. Additional details and parts information available at: **GARBRO.com** 

Forklift pockets are available for all buckets listed above. All "G" Series Buckets listed above use optional item 409 Accordion Hopper. 1/4 and 1/2 CY Extension Collars are available.

